


## HELENA Pendant


MLP460ANTBRSC L Antiqu e Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA002   2 Core Twist   Brown Braid   PVC

Fixing Bracket MLWB13 | Antiqu e Brass

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# HELENA Pendant


MLP460ANTBRSFR Antique Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA002   2 Core Twist   Brown Braid   PVC

Fixing Bracket MLWB13 | Antique Brass

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## HELENA Pendant


MLP460ANTSLVCL Antique Silver



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket MLWB13 | Antique Silver

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# HELENA Pendant


MLP460ANTSLVFR    Antique Silver



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket    MLWB13 | Antique Silver

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# HELENA Pendant


MLP460POLBRSCS Polished Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket MLWB13 | Polished Brass

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# HELENA Pendant


MLP460POLBRSFR Polished Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket MLWB13 | Polished Brass

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## HELENA Pendant


MLP460SATBRSC L Satin Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket MLWB13 | Satin Brass

\*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

# HELENA Pendant


MLP460SATBRSFR Satin Brass



MATERIAL	Brass   Steel   Glass
HEIGHT	24cm   9.45"
WIDTH   DIAMETER	15cm   5.91"
LENGTH   PROJECTION	n/a
WEIGHT	1KG   2.2lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX   BAR   CHAIN LENGT	100cm   40"
CABLE TYPE	MLCA001   2 Core Twist   Black Braid   PVC

Fixing Bracket MLWB13 | Satin Brass

\*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.